

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
17 June 2004 (17.06.2004)

PCT

(10) International Publication Number  
**WO 2004/050368 A1**

(51) International Patent Classification<sup>7</sup>: **B41F 35/00**

(21) International Application Number:  
PCT/SE2003/001840

(22) International Filing Date:  
28 November 2003 (28.11.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0203576-4 3 December 2002 (03.12.2002) SE

(71) Applicant (for all designated States except US): **BALDWIN JIMEK AB** [SE/SE]; P.O. Box 14, SE-232 21 Ärlöv (SE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **BIRGER, Hansson** [SE/SE]; Nils Pers väg 5, S-232 51 Äkarp (SE).

(74) Agent: **STRÖM & GULLIKSSON IPC AB**; P.O. Box 4188, S-203 13 Malmö (SE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A BOBBIN FOR A WASHING UNIT IN A PRINTING PRESS



(57) Abstract: A bobbin (6) for a cleaning cloth (2) in a washing unit (1) for a cylinder in a printing press is provided with internal, longitudinal or axial projections (6') for cooperation with corresponding longitudinal grooves (7') in a shaft (7) therefore and with embossments over at least a part of its circumferential surface.

WO 2004/050368 A1

11/19/95

Preferably, the bobbin is provided with internal, longitudinal or axial projections for cooperation with corresponding longitudinal grooves in the shaft and is embossed over at least a part of its circumferential surface.

Alternatively or additionally, the cloth may be held to the bobbin by means of serrated clips.

In this way the bobbin is held in its intended position, i e it can not rotate on its shaft if the cloth is exposed to a pulling action due to friction during the cleaning operation, and the cloth in turn is held to the bobbin when exposed to said pulling action.

#### **The Drawing**

The invention will be described in further detail below under reference to the accompanying drawing, in which Fig 1 is a perspective view of a washing unit for a cylinder in a printing press, Fig 2 is a side view of a bobbin for use in the washing unit, and Fig 3 is an end view of the bobbin of Fig 2 with a shaft therefore shown in section.

#### **Detailed Description of a Preferred Embodiment**

As is well known in the printing art, a washing unit 1 may be arranged in the vicinity of a cylinder, for example a blanket cylinder, in a printing press for the purpose of cleaning the cylinder by means of a cloth in the washing unit. When the cylinder is to be cleaned, the washing unit 1 is applied with its cloth against the circumferential cylinder surface; in this stage washing liquid is preferably supplied to the cloth.

The washing unit 1 is known *per se* and is accordingly only briefly described and to the extent necessary for a proper understanding of the invention.

A cleaning cloth 2 is arranged over a pad 3 at a front end of the washing unit 1 to be brought into engagement with the cylinder to be cleaned. The cloth 2 may

be stepwise unrolled from a cloth supply roll 4 and again be rolled up after use on a cloth return roll 5.

Each cloth roll 4, 5 comprises a bobbin 6 (Figs 2 and 3) on a conditionally rotatable shaft 7 (only shown in Fig 3) in the washing unit 1. The shafts with their bobbins may be released from the washing unit 1 by locking means 8 for cloth replacement.

A clean cloth portion is stepwise supplied from the supply roll 4 to the pad 3, before the washing unit 1 is applied to the cylinder to be cleaned. The used cloth is transferred to the return roll 5.

When the entire cloth supply is used-up and the cloth 2 has been gathered on the return roll 5, the bobbin 6 with the used cloth is removed on its shaft 7 from the washing unit and discarded. A new bobbin with a clean cloth is supplied as a supply roll 4 in the proper place in the washing unit, and a new empty bobbin, to which the end of the clean cloth is attached, is mounted in the position for the return roll.

The bobbin 6 is essentially a tube, preferably made of plastic material. The tube has an inner diameter corresponding to the outer diameter of the shaft 7 on which it is to be arranged and a length adapted to the width of the cloth 2.

As is visible in Fig 3, the bobbin 6 is provided with internal, longitudinal or axial projections 6' for cooperation with corresponding longitudinal grooves 7' in the shaft 7. The purpose of this arrangement is to keep the shaft 7 and bobbin 6 from relative rotatable movements during operation.

Also, the bobbin 6 is preferably embossed over at least a part of its circumferential surface in order to prevent relative movements between the cloth 2 and the bobbin during operation.

**CLAIMS**

1. A bobbin (6) for a cleaning cloth (2) in a washing unit (1) for a cylinder in a printing press, c h a r a c t -  
e r i z e d in that the bobbin (6) is provided with  
5 internal means (6') for rotationally locking it to its  
shaft (7) in the washing unit (1) and with external means  
for preventing sliding tangential movements between the  
bobbin and the cloth (2).
2. A bobbin according to claim 1, wherein the bobbin  
10 (6) is provided with internal, longitudinal or axial  
projections (6') for cooperation with corresponding  
longitudinal grooves (7') in the shaft (7).
3. A bobbin according to claim 1, wherein the bobbin  
(6) is embossed over at least a part of its circumferential  
15 surface.
4. A bobbin according to any of the preceding claims,  
wherein the bobbin (6) is made of a plastic material.




Fig 1





Fig 3

Fig 2



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 2003/001840

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: B41F 35/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: B41F, B65H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 10018425 A1 (BALDWIN GRAFOTEC GMBH), 11 October 2001 (11.10.2001) --	1-4
A	DE 19906726 A1 (HEIDELBERGER DRUCKMASCHINEN AG), 16 Sept 1999 (16.09.1999) --	1-4
A	EP 0795402 A1 (BALDWIN-JAPAN LTD.), 17 Sept 1997 (17.09.1997) --	1-4
A	US 1968402 A (J.C. KINKER, JR), 31 July 1934 (31.07.1934) --	1-4

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

19 February 2004

Date of mailing of the international search report

24-02-2004

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Teija Rasch / MRo

Telephone No. +46 8 782 25 00

**INTERNATIONAL SEARCH REPORT**

International application No.

**PCT/SE 2003/001840****C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0001036 A1 (VEREINIGTE ÖSTERREICHISCHE EISEN - UND STAHLWERKE - ALPINE MONTAN AG), 21 March 1979 (21.03.1979)  ---	1-4
A	DE 19731845 A1 (HEIDELBERGER DRUCKMASCHINEN AG), 22 October 1998 (22.10.1998)  -- -----	1-4

# INTERNATIONAL SEARCH REPORT

Information on patent family members

24/12/2003

International application No.

PCT/SE 2003/001840

DE	10018425	A1	11/10/2001	CN	1392837	T	22/01/2003
				EP	1272349	A	08/01/2003
				JP	2003530248	T	14/10/2003
				US	2003075064	A	24/04/2003
				WO	0176876	A	18/10/2001

DE	19906726	A1	16/09/1999	JP	11291464	A	26/10/1999
				US	6237492	B	29/05/2001

EP	0795402	A1	17/09/1997	CN	1168836	A	31/12/1997
				DE	69713823	D,T	13/03/2003
				EP	1176010	A	30/01/2002
				JP	3083131	B	04/09/2000
				JP	9248902	A	22/09/1997
				JP	2904481	B	14/06/1999
				JP	10180993	A	07/07/1998

US	1968402	A	31/07/1934	NONE
----	---------	---	------------	------

EP	0001036	A1	21/03/1979	AT	350029	B	10/05/1979
				AT	659877	A	15/10/1978

DE	19731845	A1	22/10/1998	DE	29706836	U	05/06/1997
----	----------	----	------------	----	----------	---	------------